

# ProFeeder X

Higher production  
capacity



# ProFeeder X

**Large production** – delivered with 2,5 or 10 trays options ideally to lower cycle time resulting in fast production. Robot arms can be mounted in different angles allowing its ultimate flexibility.

**2 locking systems available** – Mechanical or Air locking systems. Airlocks run in Modbus.

**Move around production** – want to scale production and reduce cycle time at your factory floor? The ProFeeder X is a robust machine designed to handle multiple parts in several trays.


UP TO  
**10**  
TRAYS

**INTEGRATED  
COMPARTMENT FOR  
CONTROLLER BOX**



## BENEFITS:

- ✓ Consist of 10 trays
- ✓ Designed for large volume production
- ✓ Bracket for robot teach pedant
- ✓ Placement for KTS boxes
- ✓ Scalable tray systems
- ✓ Very compact footprint dimensions
- ✓ L610\*W860\*H1084



## Product order overview options

<b>PFX 1000-10</b>	<b>ProFeeder X Mechlock</b>	With 10 Trays, Mechanical Locking System. <b>Weight 475 Kg, dimension L969*W890*H1008</b>
<b>PFX 1000-2</b>	<b>ProFeeder X Mechlock</b>	With 2 Trays, Mechanical Locking System, <b>Weight 475 Kg, dimension L969*W890*H1008</b>
<b>PFX 1000-5</b>	<b>ProFeeder X Mechlock</b>	With 5 Trays, Mecanical Locking System, <b>Weight 475 Kg, dimension L969*W890*H100</b>
<b>PFX 1001-10</b>	<b>ProFeeder X Airlock</b>	With 10 Trays, Air Locking System, <b>Weight 475 Kg, dimension L969*W890*H1008</b>
<b>PFX 1001-2</b>	<b>ProFeeder X Airlock</b>	With 2 Trays, Air Locking System, <b>Weight 475 Kg, dimension L969*W890*H1008</b>
<b>PFX 1001-5</b>	<b>ProFeeder X Airlock</b>	With 5 Trays, Air Locking System, <b>Weight 475 Kg, dimension L969*W890*H1008</b>

**EasyRobotics®**  
- we move your parts

Danish manufacturer and supplier of  
robotic cells for all types of automation.



**EasyRobotics ApS**  
Mommarmvej 5  
DK-6400 Sønderborg  
Phone: +45 24 86 56 11  
info@easyrobotics.dk  
[www.easyrobotics.biz](http://www.easyrobotics.biz)